


DS/SMS Lige T-Stykke
DS/SMS Equal Tee
DS/SMS T-Stück




Size Inch [mm]	Ø	T	A	B			AISI 316L Matt	AISI 316L Satin
25	25	1,2	55	55			2110 251269	2110 251269S
32	32	1,2	64	64			2110 321269	2110 321269S
38	38	1,2	70	70			2110 381269	2110 381269S
51	51	1,2	82	82			2110 511269	2110 511269S
63,5	63,5	1,6	105	105			2110 631569	2110 631569S
76	76	2	110	110			2110 762069	2110 762069S
101,6	102	2	150	150			2110 102069	2110 102069S



DS/SMS Kort + Reduceret T-Stykke
DS/SMS Short + Reduced Tee
DS/SMS Kurz + Reduziert T-Stück




Size Inch [mm]	Ø	T	(inside) Ø1	B			AISI 316L Matt	AISI 316L Satin
25	25	1,2	22,6	14			2120 251269	2120 251269S
32	32	1,2	29,6	18			2120 321269	2120 321269S
38/25	38	1,2	22,6	22			2138 251269	2138 251269S
38	38	1,2	35,6	22			2120 381269	2120 381269S
51/25	51	1,2	22,6	29			2151 251269	2151 251269S
51/38	51	1,2	35,6	29			2151 381269	2151 381269S
51	51	1,2	48,6	29			2120 511269	2120 511269S
63,5/25	63,5	1,6	22,6	35			2163 251569	2163 251569S
63,5/38	63,5	1,6	35,6	35			2163 381569	2163 381569S
63,5/51	63,5	1,6	48,6	35			2163 511569	2163 511569S
63,5	63,5	1,6	60,5	35			2120 631569	2120 631569S
76/25	76	2	22,6	41			2176 252069	2176 252069S
76/38	76	2	35,6	41			2176 382069	2176 382069S
76/51	76	2	48,6	41			2176 512069	2176 512069S
76/63,5	76	2	60,5	41			2176 632069	2176 632069S
76	76	2	72	41			2120 762069	2120 762069S
101,6/25	101,6	2	22,6	55			2110 252069	2110 252069S
101,6/38	101,6	2	35,6	55			2110 382069	2110 382069S
101,6/51	101,6	2	48,6	55			2110 512069	2110 512069S
101,6/63,5	101,6	2	60,5	55			2110 632069	2110 632069S
101,6/76	101,6	2	72	55			2130 762069	2130 762069S
101,6	101,6	2	97,6	55			2120 102069	2120 102069S



SWG Lige T-Stykke
SWG Equal Tee
SWG T-Stück




Size Inch [mm]	Ø	T	A	B			AISI 316L Matt	AISI 316L Satin
25,4	25,4	1,6	44	44			2410 251669	2410 251669S
38,1	38,1	1,6	64	64			2410 381669	2410 381669S
50,8	50,8	1,6	89	89			2410 501669	2410 501669S
63,5	63,5	1,6	114	114			2410 631669	2410 631669S
76	76,1	1,6	134	134			2410 761669	2410 761669S
101,6	102	2	174	174			2410 102069	2410 102069S



SWG Kort + Reduceret T-Stykke
SWG Short + Reduced Tee
SWG Kurz + Reduziert T-Stück




Size Inch [mm]	Ø	T	(inside) Ø1	B			AISI 316L Matt	AISI 316L Satin
25,4	25,4	1,6	22,2	14			2420 251669	2420 251669S
38,1/25,4	38,1	1,6	22,2	22			2438 251669	2438 251669S
38,1	38,1	1,6	34,9	22			2420 381669	2420 381669S
50,8/25,4	50,8	1,6	22,2	29			2451 251669	2451 251669S
50,8/38,1	50,8	1,6	34,9	29			2451 381669	2451 381669S
50,8	50,8	1,6	47,6	29			2420 501669	2420 501669S
63,5/25,4	63,5	1,6	22,2	35			2463 251669	2463 251669S
63,5/38,1	63,5	1,6	34,9	35			2463 381669	2463 381669S
63,5/50,8	63,5	1,6	47,6	35			2463 511669	2463 511669S
63,5	63,5	1,6	60,3	35			2420 631669	2420 631669S
76,1/25,4	76,1	1,6	22,2	41			2476 251669	2476 251669S
76,1/38,1	76,1	1,6	34,9	41			2476 381669	2476 381669S
76,1/50,8	76,1	1,6	47,6	41			2476 511669	2476 511669S
76,1/63,5	76,1	1,6	60,3	41			2476 631669	2476 631669S
76,1	76,1	1,6	72,9	41			2420 761669	2420 761669S
101,6/25,4	101,6	2	22,2	55			2410 252069	2410 252069S
101,6/38,1	101,6	2	34,9	55			2410 382069	2410 382069S
101,6/50,8	101,6	2	47,6	55			2410 512069	2410 512069S
101,6/63,5	101,6	2	60,3	55			2410 632069	2410 632069S
101,6/76,1	101,6	2	72,9	55			2410 762069	2410 762069S
101,6	101,6	2	97,6	55			2420 102069	2420 102069S



ISO Lige T-Stykke
ISO Equal Tee
ISO T-Stück




Size Inch [mm]	Ø	T	A	B			AISI 316L Matt	AISI 316L Satin
25	25	1,2	44	44			2210 251269	2210 251269S
38	38	1,2	64	64			2210 381269	2210 381269S
51	51	1,2	89	89			2210 501269	2210 501269S
63,5	63,5	1,6	114	114			2410 631669	2410 631669S
76	76,1	1,6	134	134			2410 761669	2410 761669S
101,6	102	2	174	174			2410 102069	2410 102069S



ISO Kort + Reduceret T-Stykke
ISO Short + Reduced Tee
ISO Kurz + Reduziert T-Stück




Size Inch [mm]	Ø	T	(inside) Ø1	B			AISI 316L Matt	AISI 316L Satin
25	25	1,2	22,6	14			2220 251269	2220 251269S
38/25	38	1,2	22,6	22			2238 251269	2238 251269S
38	38	1,2	35,6	22			2220 381269	2220 381269S
51/25	51	1,2	22,6	29			2251 251269	2251 251269S
51/38	51	1,2	35,6	29			2251 381269	2251 381269S
51	51	1,2	48,6	29			2220 501269	2220 501269S
63,5/25	63,5	1,6	22,2	35			2463 251669	2463 251669S
63,5/38	63,5	1,6	34,9	35			2463 381669	2463 381669S
63,5/51	63,5	1,6	47,6	35			2463 511669	2463 511669S
63,5	63,5	1,6	60,3	35			2420 631669	2420 631669S
76,1/25	76	1,6	22,2	41			2476 251669	2476 251669S
76,1/38	76	1,6	34,9	41			2476 381669	2476 381669S
76,1/51	76	1,6	47,6	41			2476 511669	2476 511669S
76,1/63,5	76	1,6	60,3	41			2476 631669	2476 631669S
76,1	76	1,6	72,9	41			2420 761669	2420 761669S
101,6/25	101,6	2	22,2	55			2410 252069	2410 252069S
101,6/38	101,6	2	34,9	55			2410 382069	2410 382069S
101,6/51	101,6	2	47,6	55			2410 512069	2410 512069S
101,6/63,5	101,6	2	60,3	55			2410 632069	2410 632069S
101,6/76,1	101,6	2	72,9	55			2410 762069	2410 762069S
101,6	101,6	2	97,6	55			2420 102069	2420 102069S




DIN Lige T-Stykke
DIN Equal Tee
DIN T-Stück




Size DIN [DN]	Ø	T	A	B			AISI 316L Matt	AISI 316L Satin
20	22	1,5	40	40			2311 221569	2311 221569S
25	28	1,5	50	50			2311 281569	2311 281569S
32	34	1,5	55	55			2311 341569	2311 341569S
40	40	1,5	60	60			2311 401569	2311 401569S
50	52	1,5	70	70			2311 521569	2311 521569S
65	70	2	80	80			2311 702069	2311 702069S
80	85	2	90	90			2311 852069	2311 852069S
100	104	2	100	100			2311 104269	2311 104269S
125	129	2	188	188			2311 129269	2311 129269S
150	154	2	225	225			2311 154269	



DIN Kort + Reduceret T-Stykke
DIN Short + Reduced Tee
DIN Kurz + Reduziert T-Stück




Size DIN [DN]	Ø	T	(inside) Ø1	B			AISI 316L Matt	AISI 316L Satin
10	12	1	10	8			2321 121069	2321 121069S
10	12	1,5	9	8			2321 121569	2321 121569S
15	18	1	16	11,5			2321 181069	2321 181069S
15	18	1,5	15	11,5			2321 181569	2321 181569S
20	22	1,5	19	14,5			2321 221569	2321 221569S
25	28	1,5	25	16			2321 281569	2321 281569S
32	34	1,5	31	19			2321 341569	2321 341569S
40/25	40	1,5	37	22			2340 251569	2340 251569S
40	40	1,5	37	22			2321 401569	2321 401569S
50/25	52	1,5	25	29,5			2352 281569	2352 281569S
50/40	52	1,5	37	29,5			2352 371569	2352 371569S
50	52	1,5	49	29,5			2321 521569	2321 521569S
65/25	70	1,5	25	40			2370 252069	2370 252069S
65/40	70	1,5	37	40			2370 372069	2370 372069S
65/50	70	1,5	49	40			2370 492069	2370 492069S
65	70	2	66	40			2321 702069	2321 702069S
80/25	85	2	25	45,5			2385 252069	2385 252069S
80/40	85	2	37	45,5			2385 372069	2385 372069S
80/50	85	2	49	45,5			2385 492069	2385 492069S
80/65	85	2	66	45,5			2385 662069	2385 662069S
80	85	2	81	45,5			2321 852069	2321 852069S
100/25	104	2	25	58			2310 252069	2310 312069S
100/40	104	2	37	58			2310 372069	2310 372069S
100/50	104	2	49	58			2310 492069	2310 492069S
100/65	104	2	66	58			2310 662069	2310 662069S
100/80	104	2	81	58			2310 812069	2310 812069S
100	104	2	100	58			2321 104269	2321 104269S
125	129	2	125	72			2321 129269	2321 129269S
150	154	2	150	87			2321 154269	



DIN Lige T-Stykke - Række 2
DIN Tee - Series 2
DIN T-Stück - Reihe 2




Size DIN [DN]	Ø	T	A	B			AISI 316L Matt	AISI 316L Satin
10	13	1,5	26	26			2311 131569	2311 131569S
15	19	1,5	35	35			2311 191569	2311 191569S
20	23	1,5	40	40			2311 231569	2311 231569S
25	29	1,5	50	50			2311 291569	2311 291569S
32	35	1,5	55	55			2311 351569	2311 351569S
40	41	1,5	60	60			2311 411569	2311 411569S
50	53	1,5	70	70			2311 531569	2311 531569S



DIN Kort + Reduceret T-Stykke - Række 2
DIN Short + Reduced Tee - Series 2
DIN Kurz + Reduziert T-Stück - Reihe 2



Size DIN [DN]	Ø	T	(inside) Ø1	B			AISI 316L Matt	AISI 316L Satin
10	13	1,5	10	8			2321 131569	2321 131569S
15	19	1,5	16	11,5			2321 191569	2321 191569S
20	23	1,5	20	14,5			2321 231569	2321 231569S
25	29	1,5	26	16			2321 291569	2321 291569S
32	35	1,5	32	19			2321 351569	2321 351569S
40/25	41	1,5	26	22			2341 261569	2341 261569S
40	41	1,5	38	22			2321 411569	2321 411569S
50/25	53	1,5	26	29,5			2353 261569	2353 261569S
50/40	53	1,5	38	29,5			2353 381569	2353 381569S
50	53	1,5	50	29,5			2321 531569	2321 531569S
65/25	70	2	26	40			2370 262069	2370 262069S
65/40	70	2	38	40			2370 382069	2370 382069S
65/50	70	2	50	40			2370 502069	2370 502069S
80/25	85	2	26	45,5			2385 262069	2385 262069S
80/40	85	2	38	45,5			2385 382069	2385 382069S
80/50	85	2	50	45,5			2385 502069	2385 502069S
100/25	104	2	26	58			2310 262069	2310 262069S
100/40	104	2	38	58			2310 382069	2310 382069S
100/50	104	2	50	58			2310 502069	2310 502069S



ISO Kort X-Stykke
ISO Short X
ISO Kurz X-Stück



Size Inch [mm]	Ø	T	A	B			AISI 316L Matt	AISI 316L Satin
25	25	1,2	44	14			2240 251269	2240 251269S
38	38	1,2	64	22			2240 381269	2240 381269S
51	51	1,2	89	29			2240 501269	2240 501269S
63,5	63,5	1,6	114	35			2440 631669	2440 631669S
76	76,1	1,6	134	41			2440 761669	2440 761669S
101,6	102	2	174	55			2440 102069	2440 102069S